



## IVTScrip™ mRNA-Human ABCD3, (Cap 1, 5-Methyl-CTP & Pseudo-UTP, 30 nt-poly(A))

Cat. No.: GTTS-WK14152MR

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

#### Product overview

This product GTTS-WK14152MR is a type of mRNA having 120 nt poly(A) tail and modified with Cap 0 & 5-Methyl-CTP & Pseudo-UTP. It encodes the ABCD3 protein. This product can be used in Astrocyte-related researches.

#### Specifications

<b>Modified bases</b>	5-Methyl-CTP & Pseudo-UTP
<b>5' Cap</b>	Cap 1
<b>Species</b>	Human
<b>RefSeq</b>	NM_001122674.2
<b>Applications</b>	Gene therapy research
<b>Format</b>	Powder
<b>Quantity</b>	100 µg
<b>Purification</b>	Chromatography

### SPECIFICATIONS

<b>Modified bases</b>	5-Methyl-CTP & Pseudo-UTP
<b>5' Cap</b>	Cap 1
<b>Species</b>	Human
<b>RefSeq</b>	NM_001122674.2
<b>Applications</b>	Gene therapy research
<b>Format</b>	Powder
<b>Quantity</b>	100 µg
<b>Purification</b>	Chromatography

## GENE INFORMATION

**Alternative Names** ZWS2; ABC43; CBAS5; PMP70; PXMP1

**Description** The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the ALD subfamily, which is involved in peroxisomal import of fatty acids and/or fatty acyl-CoAs in the organelle. All known peroxisomal ABC transporters are half transporters which require a partner half transporter molecule to form a functional homodimeric or heterodimeric transporter. This peroxisomal membrane protein likely plays an important role in peroxisome biogenesis. Mutations have been associated with some forms of Zellweger syndrome, a heterogeneous group of peroxisome assembly disorders. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008]