



IVTScrip™ mRNA-Human ALK3, (Cap 0, 5-Methoxy-UTP, 30 nt-poly(A))

Cat. No.: GTTS-WK16919MR

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product overview

This product GTTS-WK16919MR is a type of mRNA having 30 nt poly(A) tail and modified with Cap 0 & 5-Methoxy-UTP. It encodes the ALK3 protein. This product can be used in Intestinal stem cell-related researches.

Specifications

Modified bases	5-Methoxy-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_004329.3
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

SPECIFICATIONS

Modified bases	5-Methoxy-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_004329.3
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

GENE INFORMATION

Alternative Names ALK3; SKR5; CD292; ACVRLK3; 10q23del

Description The bone morphogenetic protein (BMP) receptors are a family of transmembrane serine/threonine kinases that include the type I receptors BMPR1A and BMPR1B and the type II receptor BMPR2. These receptors are also closely related to the activin receptors, ACVR1 and ACVR2. The ligands of these receptors are members of the TGF-beta superfamily. TGF-betas and activins transduce their signals through the formation of heteromeric complexes with 2 different types of serine (threonine) kinase receptors: type I receptors of about 50-55 kD and type II receptors of about 70-80 kD. Type II receptors bind ligands in the absence of type I receptors, but they require their respective type I receptors for signaling, whereas type I receptors require their respective type II receptors for ligand binding. [provided by RefSeq, Jul 2008]