



IVTScrip™ mRNA-Human ARHGAP35, (Cap 0, 5-Methyl-CTP & Pseudo-UTP, 120 nt-poly(A))

Cat. No.: GTTS-WK23197MR

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product overview

This product GTTS-WK23197MR is a type of mRNA having 120 nt poly(A) tail and modified with Cap 0 & 5-Methyl-CTP & Pseudo-UTP. It encodes the ARHGAP35 protein. This product can be used in Mitotic arrest phase fetal germ cell-related researches.

Specifications

Modified bases	5-Methyl-CTP & Pseudo-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_004491.5
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

SPECIFICATIONS

Modified bases	5-Methyl-CTP & Pseudo-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_004491.5
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

GENE INFORMATION

Alternative Names	GRF-1; GRLF1; P190A; P190-A; p190RhoGAP; p190ARhoGAP
Description	The human glucocorticoid receptor DNA binding factor, which associates with the promoter region of the glucocorticoid receptor gene (hGR gene), is a repressor of glucocorticoid receptor transcription. The amino acid sequence deduced from the cDNA sequences show the presence of three sequence motifs characteristic of a zinc finger and one motif suggestive of a leucine zipper in which 1 cysteine is found instead of all leucines. The GRLF1 enhances the homologous down-regulation of wild-type hGR gene expression. Biochemical analysis suggests that GRLF1 interaction is sequence specific and that transcriptional efficacy of GRLF1 is regulated through its interaction with specific sequence motif. The level of expression is regulated by glucocorticoids. [provided by RefSeq, Jul 2008]