



IVTScrip™ mRNA-Human ASCC1, (Cap 0, 5-Methoxy-UTP, 30 nt-poly(A))

Cat. No.: GTTS-WK24202MR

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product overview

This product GTTS-WK24202MR is a type of mRNA having 30 nt poly(A) tail and modified with Cap 0 & 5-Methoxy-UTP. It encodes the ASCC1 protein. This product can be used in Mitotic arrest phase fetal germ cell-related researches.

Specifications

Modified bases	5-Methoxy-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_001198798.2
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

SPECIFICATIONS

Modified bases	5-Methoxy-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_001198798.2
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

GENE INFORMATION

Alternative Names	p50; CGI-18; SMABF2; ASC1p50
Description	This gene encodes a subunit of the activating signal cointegrator 1 (ASC-1) complex. The ASC-1 complex is a transcriptional coactivator that plays an important role in gene transactivation by multiple transcription factors including activating protein 1 (AP-1), nuclear factor kappa-B (NF-κB) and serum response factor (SRF). The encoded protein contains an N-terminal KH-type RNA-binding motif which is required for AP-1 transactivation by the ASC-1 complex. Mutations in this gene are associated with Barrett esophagus and esophageal adenocarcinoma. Alternatively spliced transcripts encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2011]