



IVTScrip™ mRNA-Human ANPEP, (Cap 0, 5-Methyl-CTP & Pseudo-UTP, 120 nt-poly(A))

Cat. No.: GTTS-WK16153MR

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product overview

This product GTTS-WK16153MR is a type of mRNA having 120 nt poly(A) tail and modified with Cap 0 & 5-Methyl-CTP & Pseudo-UTP. It encodes the ANPEP protein. This product can be used in Cancer stem cell-related researches.

Specifications

Modified bases	5-Methyl-CTP & Pseudo-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_001150.3
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

SPECIFICATIONS

Modified bases	5-Methyl-CTP & Pseudo-UTP
5' Cap	Cap 0
Species	Human
RefSeq	NM_001150.3
Applications	Gene therapy research
Format	Powder
Quantity	100 µg
Purification	Chromatography

GENE INFORMATION

Alternative Names	APN; CD13; LAP1; P150; PEPN; GP150
Description	Aminopeptidase N is located in the small-intestinal and renal microvillar membrane, and also in other plasma membranes. In the small intestine aminopeptidase N plays a role in the final digestion of peptides generated from hydrolysis of proteins by gastric and pancreatic proteases. Its function in proximal tubular epithelial cells and other cell types is less clear. The large extracellular carboxyterminal domain contains a pentapeptide consensus sequence characteristic of members of the zinc-binding metalloproteinase superfamily. Sequence comparisons with known enzymes of this class showed that CD13 and aminopeptidase N are identical. The latter enzyme was thought to be involved in the metabolism of regulatory peptides by diverse cell types, including small intestinal and renal tubular epithelial cells, macrophages, granulocytes, and synaptic membranes from the CNS. This membrane-bound zinc metalloprotease is known to serve as a receptor for the HCoV-229E alphacoronavirus as well as other non-human coronaviruses. This gene has also been shown to promote angiogenesis, tumor growth, and metastasis and defects in this gene are associated with various types of leukemia and lymphoma. [provided by RefSeq, Apr 2020]